



# 40 Ton C Ironworker, 115V, 1Ph, Coper Notcher

## Product Images

---



## Additional Information

---

Stock Number	ED9-40151012
Angle Shear Max Capacity 1/4"	3 x 3
Angle Shear Max Capacity (In.)	3 x 3 x 1/4
Angle Shear Work Height (In.)	40
Flat Bar Shear Max Capacity 1/4"	8
Flat Bar Shear Max Capacity 3/8"	6
Flat Bar Shear Max Round (In.)	1/2
Flat Bar Shear Max Square (In.)	1/2
Flat Bar Shear Rating (Tons)	40
Flat Bar Shear Work Height (In.)	34-3/4
Hydraulic Pump (GPM)	5
Model Number	40151012
Motor (HP)	2
Open Station Work Height (In.)	34-1/2
Open Workstation Throat Depth (In.)	10-1/2
Optional Coper Notcher Max Capacity (In.)	2 x 3 x 5/16
Prop 65	None
Punch Max Capacity (In.)	1 diam. In. 1/2 mild steel
Punch Stroke (In.)	1-5/8
Punch Throat Depth (In.)	7
Punch Work Height (In.)	36-1/2
Rating (Tons)	40
Reservoir (Gal.)	7
Valve Pressure (PSI)	2750

Weight (Lbs.)

1720

