

BOSTIK(R) GLIDECOTE Revision Number 2 Revision Date 26-May-2019 Supersedes Date: 25-Aug-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name Pure substance/mixture BOSTIK(R) GLIDECOTE Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	lubricant.	
Uses advised against	No information available.	

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand Tel: 04-567 5119 Fax: 04-567 5412

1.4. Emergency telephone number

Emergency Telephone	24 Hr: 0800 243 622
	+64 4 917 9888
	Poison Centre : 0800 764 766

E-mail address

SDS.AP@Bostik.com

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Aspiration hazard	Category 1 (6.1E 9)
Skin corrosion/irritation	Category 2 (6.3A)
Serious eye damage/eye irritation	Category 2A (6.4A)
STOT - single exposure	Category 3 (^f)
Acute aquatic toxicity	Category 2 (9.1D)
Chronic aquatic toxicity	Category 2 (9.1B)
Aerosols	Category 1 (2.1.2A b)

2.2. Label Elements



Signal word

Danger

Hazard statements

H411 - Toxic to aquatic life with long lasting effects

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H315 - Causes skin irritation

H304 - May be fatal if swallowed and enters airways

BOSTIK(R) GLIDECOTE Revision Number 2

H222 - Extremely flammable aerosol H229 - Pressurized container: May burst if heated **Precautionary Statements - General** P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children **Precautionary Statements - Prevention** P264 - Wash face, hands and any exposed skin thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P271 - Use only outdoors or in a well-ventilated area P273 - Avoid release to the environment P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P211 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use **Precautionary Statements - Response** P321 - Specific treatment (see supplemental first aid instructions on this label) Inhalation P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P312 - Call a POISON CENTER or doctor if you feel unwell Skin P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P332 + P313 - If skin irritation occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse Eves P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention Ingestion P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor P331 - Do NOT induce vomiting Spill P391 - Collect spillage **Precautionary Statements - Storage** P405 - Store locked up P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Acetone	67-64-1	40 - <80
1,1-Difluoroethane	75-37-6	20- <40
Naphtha, petroleum, light alkylate	64741-66-8	10 - <20
2,2,4-Trimethylpentane	540-84-1	5 - <10
Naphtha, petroleum, hydrotreated heavy, <0.1%	64742-48-9	1 - <3
Benzene		

*** Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

BOSTIK(R) GLIDECOTE Revision Number 2	Revision Date 26-May-2019 Supersedes Date: 25-Aug-2017				
General advice	Get medical advice/attention. Remove and isolate contaminated clothing and shoes.				
Inhalation	Move victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Administer oxygen if breathing is difficult.				
Skin contact	In case of contact with liquefied gas, thaw frosted parts with lukewarm water.				
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.				
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.				
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves				
4.2. Most important symptoms and	d effects, both acute and delayed				
Symptoms	None known.				
4.3. Indication of any immediate m	edical attention and special treatment needed				
Note to physicians	Keep victim warm and quiet.				
4.4. Reference to Other Sections	4.4. Reference to Other Sections				
Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11: TOXICOLOGY INFORMATION.					
Section 5: FIRE-FIGHTING	MEASURES				
5.1. Extinguishing media					
Suitable extinguishing media Use extinguishing agent suitable for type of surrounding fire. Dry chemical or CO2. Water spray, fog or regular foam. Move containers from fire area if you can do it with risk. Damaged cylinders should be handled only by specialists.					
Unsuitable extinguishing media	No information available.				
5.2. Special hazards arising from t	he substance or mixture				
Specific hazards arising from the chemical	Some may burn but none ignite readily. Ruptured cylinders may rocket.				
5.3. Advice for firefighters					
Special protective equipment for fire-fighters	Caution! Container under pressure. Heating causes rise in pressure with risk of bursting. Cool container with water spray.				
Section 6: ACCIDENTAL RELEASE MEASURES					
6.1. Personal precautions, protective equipment and emergency procedures					
Personal precautions	Remove all possible sources of ignition in the surrounding area. Ensure adequate ventilation, especially in confined areas.				
Other information	Ventilate the area.				
6.2. Environmental precautions					
Environmental precautions	vironmental precautions Prevent entry into waterways, sewers, basements or confined areas. Use water spray reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled material.				

BOSTIK(R) GLIDEC	OTE
Revision Number	2

6.3. Methods and material for containment and cleaning up

Methods for containment	If possible, turn leaking containers so that gas escapes rather than liquid. Allow substance to evaporate.
Methods for cleaning up	Do not direct water at spill or source of leak.
6.4. Reference to other sections	
Reference to other sections	Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation, especially in confined areas. Use only in well-ventilated areas. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Pressurized container: Do not pierce or burn, even after use.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
General hygiene considerations	When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Recommended storage temperature. 50 - 95 °F. Observe local regulations / instructions for storage of pressurized containers.
Incompatible materials	No information available
7.3. Specific end use(s)	
Specific Use(s)	lubricant.
Other information	No information available.
7.4. References to Other Sections	

Reference to other sections

Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	New Zealand	Australia	European Union
Acetone	TWA: 500 ppm	500 ppm TWA	TWA: 500 ppm
67-64-1	TWA: 1185 mg/m ³	1185 mg/m ³ TWA	TWA: 1210 mg/m ³
	STEL: 1000 ppm	1000 ppm STEL	_
	STEL: 2375 mg/m ³	2375 mg/m ³ STEL	
Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Acetone	STEL: 500 ppm	IDLH: 2500 ppm	TWA: 1000 ppm
67-64-1	TWA: 250 ppm	TWA: 250 ppm	TWA: 2400 mg/m ³
		TWA: 590 mg/m ³	
2,2,4-Trimethylpentane	TWA: 300 ppm	-	-
540-84-1			

BOSTIK(R) GLIDECOTE Revision Number 2

Predicted No Effect Concentration (PNEC)	No information available	
OTHER INFORMATION	No information available	
8.2. Exposure controls		
Engineering controls	Ensure adequate ventilation, especially in confined areas.	
PPE - Personal Protection Equipment		
Eye/face protection Skin and body protection	Wear safety glasses with side shields (or goggles). Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.	
Hand protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.	
Respiratory protection	No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.	
General hygiene consideration	s Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.	

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Aerosol		
Color	Colorless		
Odor	Solvent		
Odor Threshold	No information available		
Property	Values	F	Re
pH	No data available		
Melting point / freezing point	No data available		
Boiling point / boiling range	No data available		
Flash Point	-50 °C		
Evaporation Rate	No data available		
Flammability (solid, gas)	No data available		
Flammability Limit in Air			
Upper flammability or explosive	No data available		
limits			
Lower flammability or explosive	No data available		
limits			
Vapor Pressure	No data available		
Vapor Density	No data available		
Relative Density	No data available		
Water Solubility	No data available		
Solubility(ies)	No data available		
Partition coefficient	No data available		
Autoignition Temperature	No data available		
Decomposition Temperature	No data available		
Kinematic Viscosity	No data available		
Dynamic Viscosity	No data available		
Explosive properties	No information available		
Oxidizing properties	No information available		
9.2. Other information			
Softening Point	No information available		
Molecular Weight	No information available		
Solvent content (%)	No information available		
Solid content (%)	2.3		
	Page	5/9	
	i ugo	0,0	

emarks · Method

BOSTIK(R) GLIDECOTE Revision Number 2		Revision Date Supersedes Date:	,
Density Bulk Density VOC (volatile organic compound)	0.800 g/ml No information available < 20 g/L		
Section 10: STABILITY AND	REACTIVITY		
10.1. Reactivity			
Reactivity	None under normal use conditions.		
10.2. Chemical stability			
10.3. Possibility of hazardous reac	tions		
Possibility of hazardous reactions	None under normal processing.		
Hazardous Polymerization	None under normal processing.		
10.4. Conditions to avoid			
Conditions to avoid	Heating causes rise in pressure with risk of bursting.		
10.5. Incompatible materials			
Incompatible materials	No information available.		
10.6. Hazardous decomposition pr	oducts		
Hazardous decomposition products	None under normal use conditions.		

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Numerical measures of toxicity

Unknown acute toxicity

25 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

- 25 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 47.724 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 46.24 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 25 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone	= 5800 mg/kg (Rat)	>15800 mg/Kg (rat)	= 79 mg/l(Rat) 4 h
67-64-1			
Naphtha, petroleum, light alkylate 64741-66-8	> 7000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 6.31 mg/L (Rat)4 h
2,2,4-Trimethylpentane 540-84-1	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 14.38 mg/L (Rat)4 h
Naphtha, petroleum, hydrotreated heavy, <0.1% Benzene	> 6000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	LC50 Vapour (4h) >5020 mg/m³ (Rat)

BOSTIK(R) GLIDECOTE Revision Number 2

64742-48-9

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye irritation	No information available. No information available.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	liver, Eyes, retina, Skin.
Aspiration hazard	No information available.
Carcinogenicity	The following substance(s) are classified in Annex VI CLP (1272/2008) as carcinogenic.
IARC (International Agency for	Group 3 - Not Classifiable as to Carcinogenicity in Humans

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Research on Cancer)

Ecotoxicity

Product Information

Toxic to aquatic life with long lasting effects.

Component Information

Data obtained on the component(s) include

Chemical name	Algae/aquatic plants	Fish	Crustacea
Acetone	-	LC50 96 h 4.74 - 6.33 mL/L	EC50 48 h 10294 - 17704 mg/L
67-64-1		(Oncorhynchus mykiss)	(Daphnia magna Static)
Naphtha, petroleum, light alkylate	EC50 72 h = 6.4 mg/L	-	LC50: =2mg/L (48h, Mysidopsis
64741-66-8	(Pseudokirchneriella subcapitata)		bahia)
Naphtha, petroleum, hydrotreated	EL50 (72h) > 1000 mg/l	LC50: =2200mg/L (96h,	LL50 (48h) > 1000 mg/l (Daphnia
heavy, <0.1% Benzene	(Pseudokirchneriella subcapitata)	Pimephales promelas)	magna)
64742-48-9	OECD 201		OECD 202

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Acetone	-0.24	0.69
67-64-1		

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Acetone	The substance is not PBT / vPvB
67-64-1	
1,1-Difluoroethane	The substance is not PBT / vPvB
75-37-6	

BOSTIK(R) GLIDECOTE Revision Number 2

Revision Date 26-May-2019 Supersedes Date: 25-Aug-2017

Naphtha, petroleum, light alkylate	The substance is not PBT / vPvB PBT assessment does not
64741-66-8	apply
2,2,4-Trimethylpentane	The substance is not PBT / vPvB PBT assessment does not
540-84-1	apply
Naphtha, petroleum, hydrotreated heavy, <0.1% Benzene 64742-48-9	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

IMDG

IMDG	_
UN Number	UN1950
Proper Shipping Name	Aerosols (Naphtha, petroleum, light alkylate), Marine Pollutant
Transport hazard class(es)	2.1
Marine Pollutant	Р
EmS-No.	F-D. S-U
Special Provisions	63,190, 277, 327, 344, 381, 959
Limited Quantity (LQ)	See SP277
Description	UN1950, Aerosols (Naphtha, petroleum, light alkylate), 2.1, Marine Pollutant
Description	
ΙΑΤΑ	
UN Number	ŪN1950
Proper Shipping Name	Aerosols, flammable
Transport hazard class(es)	2.1
ERG Code	10L
Limited Quantity (LQ)	30 kg G
Special Provisions	A145, A167, A802
Description	UN1950, Aerosols, flammable, 2.1
Description	
ADR	_
UN Number	UN1950
Proper Shipping Name	Aerosols, Environmentally Hazardous
Transport hazard class(es)	2
Labels	2.1
Description	UN1950, Aerosols, 2, (D), Environmentally Hazardous
Environmental hazards	Yes
Limited Quantity (LQ)	1L
Special Provisions	190, 327, 344, 625
Classification Code	5F
Tunnel Restriction Code	(D)

Section 15: REGULATORY INFORMATION

National Regulations

ERMA Group

HSR002515

Section 16: OTHER INFORMATION

BOSTIK(R) GLIDECOTE Revision Number 2

Key or legend to abbreviations and acronyms used in the safety data sheet No information available

Key Literature References and Sources for Data

No information available	
Prepared By	Product Safety & Regulatory Affairs
Revision Date	26-May-2019
Revision note	Not applicable.

Training Advice No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet