

# WURTH THERMOMELT 200 EDGEBANDING ADHESIVE (TRANSPARENT)

Version 2.0 Revision Date 08/15/2014 Print Date 08/19/2014

#### **SECTION 1. IDENTIFICATION**

Commercial Product

Name

: WURTH THERMOMELT 200 EDGEBANDING ADHESIVE

(TRANSPARENT)

Product number : 089047733 : 10033734 SDS-Identcode Product Use Description : Adhesives Company : Wurth USA Inc.

93 Grant St. 07446 Ramsey, NJ

USA

: +1 201 825 27 10 Telephone Telefax : +1 201 825 16 43 : prodsafe@wuerth.com

Responsible/issuing

person

Emergency telephone

number

: +1 800 255 3924

### **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS Label element**

Not a hazardous substance or mixture.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

No hazardous ingredients

### **SECTION 4. FIRST AID MEASURES**

General advice : If you feel unwell, seek medical advice (show the label

> where possible). Never give anything by mouth to an unconscious person. Take off contaminated clothing and shoes immediately. The molten product can cause serious

burns.

Inhalation : If breathed in, move person into fresh air.

Skin contact : Cool skin rapidly with cold water after contact with

molten material. If symptoms persist, call a physician.



# WURTH THERMOMELT 200 EDGEBANDING ADHESIVE (TRANSPARENT)

Version 2.0 Revision Date 08/15/2014 Print Date 08/19/2014

Eye contact : If easy to do, remove contact lens, if worn. In the case of

contact with eyes, rinse immediately with plenty of water

and seek medical advice.

Ingestion : If swallowed, DO NOT induce vomiting. If symptoms

persist, call a physician. If a person vomits when lying on

his back, place him in the recovery position.

Notes to physician

Treatment : Treat symptomatically and supportively.

### **SECTION 5. FIREFIGHTING MEASURES**

Form : solid

Flash point : Note: Not applicable

Suitable extinguishing

media

: Carbon dioxide (CO2)

Dry powder Water spray jet

Specific hazards during

firefighting

: Do not use a solid water stream as it may scatter and

spread fire.

Hazardous decomposition products may be formed

under fire conditions (see section 10).

Exposure to decomposition products may be a hazard to

health.

Special protective equipment for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. In the event of fire and/or explosion do not breathe

fumes.



# WURTH THERMOMELT 200 EDGEBANDING ADHESIVE (TRANSPARENT)

Version 2.0 Revision Date 08/15/2014 Print Date 08/19/2014

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions : Refer to protective measures listed in sections 7 and 8.

> Avoid dust formation. Avoid breathing dust.

Ensure adequate ventilation, especially in confined areas.

: Use mechanical handling equipment. Methods for cleaning up

> Keep in suitable, closed containers for disposal. Clean contaminated surface thoroughly.

**SECTION 7. HANDLING AND STORAGE** 

Handling

Handling : For personal protection see section 8.

> Avoid creating dust. Do not breathe dust.

Avoid contact with skin and eyes.

Advice on protection

against fire and explosion

: Normal measures for preventive fire protection.

Storage

Requirements for storage

areas and containers

: Keep containers tightly closed in a dry, cool and well-

ventilated place.

Advice on common

Storage period

storage

: Keep away from food, drink and animal feedingstuffs.

: <= 24 Months

Other data : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**



# WURTH THERMOMELT 200 EDGEBANDING ADHESIVE (TRANSPARENT)

Version 2.0 Revision Date 08/15/2014 Print Date 08/19/2014

Contains no substances with occupational exposure limit values.

Engineering measures : Provide adequate ventilation.

Eye protection : In case of splash hazard, please wear protective goggles.

Hand protection : Choose gloves to protect hands against chemicals

depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective

gloves with the glove manufacturer.

Skin and body protection : Choose body protection according to the amount and

concentration of the dangerous substance at the work

place.

Respiratory protection : In the case of dust or aerosol formation use respirator with

an approved filter.

Hygiene measures : Handle in accordance with good industrial hygiene and

safety practice.

General industrial hygiene practice.

Do not breathe dust.

Avoid contact with skin, eyes and clothing. When using do not eat, drink or smoke.

Wash hands before breaks and at the end of workday.

Wash contaminated clothing before re-use.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Form : solid Physical state : solid

Colour : beige

Odour : very faint, characteristic
Odour Threshold : No data available
Flash point : Note: Not applicable

Ignition temperature : No data available Thermal decomposition : No data available Lower explosion limit : No data available



## WURTH THERMOMELT 200 EDGEBANDING ADHESIVE (TRANSPARENT)

Version 2.0 Revision Date 08/15/2014 Print Date 08/19/2014

Upper explosion limit : No data available Flammability : No data available Molecular weight : No data available : No data available Hq

Melting point/range : 100 - 110 °C (212 - 230 °F)

Boiling point/boiling range : No data available

Vapour pressure : Not applicable

: No data available Relative vapour density Evaporation rate : No data available

Density : 1.03 g/cm3

at 20 °C (68 °F)

: No data available

: No data available Relative density Bulk density : No data available Water solubility : partly miscible

Partition coefficient: n-

octanol/water

Solubility in other solvents : No data available Viscosity, dynamic : No data available Viscosity, kinematic : No data available

: 0% Volatile organic

compounds (VOC) content

### **SECTION 10. STABILITY AND REACTIVITY**

Hazardous decomposition

products

: Build-up of dangerous/toxic fumes possible in cases of

fire/high temperature.

Hazardous reactions : Note: No decomposition if stored and applied as

directed.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Carcinogenicity : No data is available on the product itself. Reproductive toxicity : No data is available on the product itself. Teratogenicity : No data is available on the product itself.

### Carcinogenicity:



# WURTH THERMOMELT 200 EDGEBANDING ADHESIVE (TRANSPARENT)

Version 2.0 Revision Date 08/15/2014 Print Date 08/19/2014

**ACGIH** No component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by ACGIH.

OSHA No component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by OSHA.

NTP No component of this product present at levels greater

than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

IARC No component of this product present at levels greater

than or equal to 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Volatile organic compounds (VOC)

content

Additional ecological

information

: 0%

: The product should not be allowed to enter drains, water

courses or the soil.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Adequate disposal : In accordance with local and national regulations.

Do not dispose of together with household waste.

### **SECTION 14. TRANSPORT INFORMATION**

**DOT 49 CFR** 

Not dangerous goods

**TDGR** 

Not dangerous goods



# WURTH THERMOMELT 200 EDGEBANDING ADHESIVE (TRANSPARENT)

Version 2.0 Revision Date 08/15/2014 Print Date 08/19/2014

**ICAO/IATA-DGR** 

Not dangerous goods

**IMDG-Code** 

Not dangerous goods

#### **SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards : No SARA Hazards

**CERCLA Reportable** 

Quantity

: This material does not contain any components with a

CERCLA RQ.

EPCRA 313 US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA

Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification

Required

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**EPCRA\_302**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

PENN RTK US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code

Chap. 301-323)

Components	CAS-No.
non-hazardous substances	

MASS RTK US. Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105

Code of Massachusetts Regulations Section 670.000)

No components are subject to the Massachusetts Right to Know Act.

**NJ RTK**US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute

Annotated Section 34:5A-5)

<u>Components</u>	CAS-No.
non-hazardous substances	



# WURTH THERMOMELT 200 EDGEBANDING ADHESIVE (TRANSPARENT)

Version 2.0 Revision Date 08/15/2014 Print Date 08/19/2014


California Prop. 65 : This product does not contain any chemicals known to

State of California to cause cancer, birth defects, or any

other reproductive harm.

### **SECTION 16. OTHER INFORMATION**

### **Further information**



### HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL	0

0 = Insignificant, 1 = Slight, 2 = Moderate, 3 = High, 4 = Extreme

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Prepared by : SAP Business Compliance Services GmbH

Birlenbacher Str. 19 D-57078 Siegen

Germany

Telephone: +49-(0)271-88072-0

 Revision Date
 : 08/15/2014

 Date of last issue
 : 11/15/2011

 Date of first issue
 : 05/06/2011